

PROMISE Code	Key	MDC Heading		Consequence	Description	Severity description	Duration of consequence (days)	SD of duration	Raw utility (365 days unless otherwise stated)	SD of raw utility	Comments re utilities	Disability incl duration	SD of disability Incl duration	GP visits	SD of GP visits	Cost of GP visits	SD of cost of GP visits	Specialist visits	SD of specialist visits	Cost of specialist visits	SD of cost of Specialist visits	Cost of invesitgations	Average duration of admission (days)	Cost of admission
A01	1	Injuries, Poisonings & Toxic Effects of Drugs	Allergy/Injury	Allergic reaction	Mild allergic reaction not requiring intervention	Mild	1.5	1.22	0.8387	0.0817	Derived using EQ-5D	0.0006	0.0003	1.4	1.4	\$46.73	\$45.67	0.1	0.3	\$6.08	\$21.92	\$0.00		
	2	Injuries, Poisonings & Toxic Effects of Drugs	Allergy/Injury	Allergic reaction	Moderate allergic reaction requiring topical or oral medications	Moderate	3.8	2.78	0.6548	0.0760	Derived using EQ-5D	0.0036	0.0008	2.4	1.5	\$81.48	\$50.48	0.4	1.0	\$30.40	\$75.95	\$0.00		
	3	Injuries, Poisonings & Toxic Effects of Drugs	Allergy/Injury	Allergic reaction	Severe allergic reaction requiring acute medical management	Severe	8.4	5.57	-0.2193	0.4301	Derived using EQ-5D	0.0282	0.0099	4.6	5.2	\$153.37	\$174.93	2.3	1.0	\$131.51	\$80.26	\$27.30	1.3	\$1,293.00
A02	4	Injuries, Poisonings & Toxic Effects of Drugs	Allergy/Injury	Accident and injury (incl. falls risk)	Minor injury that does not require significant medical intervention e.g. small skin tear, minor bruising	Mild	2.6	2.28	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	0.9	0.7	\$28.76	\$22.24	0.0	0.0	\$0.00	\$0.00	\$0.00		
	5	Injuries, Poisonings & Toxic Effects of Drugs	Allergy/Injury	Accident and injury (incl. falls risk)	Injury requiring GP or outpatient management and not resulting in permanent disability	Moderate	10.5	9.78	0.936	0.0000	GBD sprain	0.0018	0.0000	3.4	2.9	\$113.55	\$98.33	0.4	1.2	\$32.94	\$85.58	\$0.00		
	6	Injuries, Poisonings & Toxic Effects of Drugs	Allergy/Injury	Accident and injury (incl. falls risk)	Severe injury resulting in hospitalisation and requiring substantial rehabilitation	Severe	46.8	53.02	0.87	0.0786	DW "permanent impairment after fracture of leg or hip"	0.0167	0.0101	4.6	3.2	\$154.85	\$108.32	3.8	3.3	\$192.04	\$171.86	\$0.00	2.9	\$3,060.85
B01	7	Diseases & Disorders of Blood, Blood Forming Organs, Immunological Disorders	Blood	Anaemia	Mild signs or symptoms of anaemia which resolve without intervention. E.g. haemoglobin of 100-109g/L in pregnant women, 110-119g/L in children and adult women, and 120-129g/L in adult men	Mild	13.4	21.52	0.9950	0.0000	GBD mild anaemia	0.0002	0.0000	2.4	2.0	\$81.48	\$68.02	0.5	0.8	\$42.57	\$61.36	\$94.05		
	8	Diseases & Disorders of Blood, Blood Forming Organs, Immunological Disorders	Blood	Anaemia	Anaemia requiring medical management and/or modification of medication regimen. E.g. haemoglobin of 70-99g/L in pregnant women, 80-109g/L in children and adult women, and 90-119g/L in adult men	Moderate	18.8	18.20	0.9890	0.0000	GBD moderate anaemia	0.0006	0.0000	3.9	1.8	\$131.80	\$60.97	1.9	1.1	\$114.50	\$82.12	\$402.90		
	9	Diseases & Disorders of Blood, Blood Forming Organs, Immunological Disorders	Blood	Anaemia	Anaemia requiring hospitalisation and blood product or growth factor support. E.g. haemoglobin of 40-69g/L in pregnant women, 50-79g/L in children and adult women, and 60-99g/L in adult men	Severe	32.2	27.69	0.8300	0.0000	GBD. Mean of "severe" and "very severe" anaemia	0.0150	0.0000	6.6	4.8	\$220.47	\$162.62	4.4	2.6	\$212.33	\$144.51	\$566.55	1.9	\$5,311.11
B02	10	Diseases & Disorders of Blood, Blood Forming Organs, Immunological Disorders	Blood	Bone marrow suppression	Mild signs or symptoms of bone marrow suppression which resolve without intervention	Mild	6.3	8.60	0.8725	0.1160	Derived using EQ-5D	0.0022	0.0020	2.6	1.4	\$88.67	\$46.72	0.5	0.8	\$42.57	\$61.36	\$17.20		
	11	Diseases & Disorders of Blood, Blood Forming Organs, Immunological Disorders	Blood	Bone marrow suppression	Bone marrow suppression requiring medical management by modification of existing medication regimen	Moderate	17.5	25.46	0.6983	0.1967	Derived using EQ-5D	0.0145	0.0094	4.4	1.7	\$148.58	\$56.93	2.5	1.6	\$138.60	\$101.15	\$17.20		
	12	Diseases & Disorders of Blood, Blood Forming Organs, Immunological Disorders	Blood	Bone marrow suppression	Bone marrow suppression requiring hospitalisation and blood product or growth factor support	Severe	54.5	67.18	0.3705	0.4387	Derived using EQ-5D	0.0940	0.0655	6.2	3.8	\$208.49	\$128.38	5.5	2.8	\$257.70	\$149.18	\$118.75	2.2	\$2,114.07
C01	13	Diseases & Disorders of the Circulatory System	Cardiovascular	Arrhythmia (incl. tachy- and bradycardia)	Arrhythmia that contributes to worsening of other cardiac conditions but not to such an extent as to require medical intervention	Mild	8.1	10.34	0.7222	0.0945	Derived using EQ-5D	0.0061	0.0021	2.7	1.9	\$91.06	\$62.32	0.5	1.2	\$42.57	\$86.92	\$46.65		
	14	Diseases & Disorders of the Circulatory System	Cardiovascular	Arrhythmia (incl. tachy- and bradycardia)	Arrhythmia resulting in moderate haemodynamic or myocardial consequences requiring medical attention and treatment	Moderate	21.6	29.89	0.4778	0.2282	Derived using EQ-5D	0.0310	0.0135	5.1	2.9	\$172.54	\$96.57	2.5	1.9	\$138.60	\$115.24	\$63.85		
	15	Diseases & Disorders of the Circulatory System	Cardiovascular	Arrhythmia (incl. tachy- and bradycardia)	Arrhythmia resulting in significant haemodynamic or myocardial complications requiring hospitalisation	Severe	40.1	58.62	-0.1730	0.3510	Derived using EQ-5D	0.1290	0.0386	7.4	4.5	\$249.23	\$150.45	4.6	2.3	\$223.67	\$132.27	\$63.85	3.0	\$2,640.48
C02	16	Various	Cardiovascular	Bleeding, non-specific	Easy bruising, bleeding from small cuts, petechia, ecchymosis, mild elevation of INR not requiring adjustment of dosage	Mild	3.1	5.08	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	2.0	1.3	\$68.30	\$43.87	0.2	0.6	\$18.24	\$47.36	\$17.20		
	17	Various	Cardiovascular	Bleeding, non-specific	Hematoma, epistaxis, blood loss from mouth, vagina, melena, eye bleed, hematuria, hematemesis, moderate elevation of INR requiring modification of dose of anticoagulant	Moderate	7.6	7.84	0.9500	0.0000	ABDI 2000 weight for "moderate cases of haemophilia"	0.0010	0.0000	3.6	2.0	\$122.22	\$66.59	1.8	1.6	\$111.12	\$103.95	\$17.20		

	18	Various	Cardiovascular	Bleeding, non-specific	Severe bleeding requiring hospitalisation, blood product and/or haemodynamic support	Severe	22.1	22.20	0.7300	0.0000	ABDI 2000 weight for severe cases of haemophilia"	0.0164	0.0000	5.4	4.6	\$179.73	\$153.81	3.9	3.0	\$192.48	\$156.77	\$31.25	3.6	\$3,393.41
C03	19	Diseases & Disorders of the Circulatory System	Cardiovascular	Cerebrovascular event	Mild symptoms which resolve (e.g. transient ischemic attack)	Mild	3.8	2.64	0.6968	0.1506	DW 0.64	0.0031	0.0015	3.4	1.5	\$112.63	\$51.99	1.5	1.3	\$98.90	\$92.73	\$186.70		
	20	Diseases & Disorders of the Circulatory System	Cardiovascular	Cerebrovascular event	Resulting in significant signs and symptoms requiring medical management (e.g. reversible ischaemic neurological deficit)	Moderate	10.1	7.27	0.4607	0.3204	DW 0.37	0.0150	0.0089	5.1	2.5	\$170.15	\$83.71	2.8	2.4	\$151.36	\$136.47	\$381.75	3.6	\$3,172.63
	21	Diseases & Disorders of the Circulatory System	Cardiovascular	Cerebrovascular event	Resulting in severe symptoms and signs requiring hospitalisation and medical management (e.g. stroke)	Severe	146.0	154.90	-0.0517	0.1467	DW 0.08	0.4207	0.0587	8.0	7.1	\$268.40	\$239.41	5.8	4.3	\$270.46	\$210.21	\$381.75	8.6	\$7,901.59
C04	22	Diseases & Disorders of the Circulatory System	Cardiovascular	Clotting (non-cerebral)/tissue ischaemia	Mild signs and symptoms of tissue ischaemia which resolve without intervention	Mild	4.2	5.54	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	1.7	1.3	\$56.78	\$44.14	0.4	0.8	\$32.94	\$62.68	\$17.20		
	23	Diseases & Disorders of the Circulatory System	Cardiovascular	Clotting (non-cerebral)/tissue ischaemia	Moderate tissue ischaemia or clotting event requiring GP involvement or outpatient medical management, e.g. loss of digit/s, deep venous thrombosis without embolism	Moderate	20.3	16.66	0.7520	0.0000	ABDI 2000 weight for "peripheral artery disease - cases"	0.0138	0.0000	4.8	2.4	\$160.01	\$81.21	2.6	1.7	\$141.91	\$108.03	\$17.20		
	24	Diseases & Disorders of the Circulatory System	Cardiovascular	Clotting (non-cerebral)/tissue ischaemia	Severe tissue ischaemia or clotting event requiring hospitalisation, e.g. loss of limb/s, pulmonary embolism, non-cardiac organ infarction	Severe	95.0	114.07	0.7910	0.0000	ABDI 2000 weight for "peripheral artery disease - amputation"	0.0544	0.0000	7.8	5.9	\$262.81	\$198.14	6.3	5.0	\$287.48	\$239.74	\$84.55	2.0	\$9,619.77
C05	25	Diseases & Disorders of the Circulatory System	Cardiovascular	Heart Failure	Mild signs or symptoms of heart failure (e.g. NYHA class II) which resolve without intervention	Mild	33.1	95.78	0.7050	0.1341	DW for "Mild (NYHA 1 - 2)" 0.94	0.0268	0.0122	3.0	2.0	\$100.65	\$67.10	0.9	1.4	\$72.97	\$96.56	\$17.20		
	26	Diseases & Disorders of the Circulatory System	Cardiovascular	Heart Failure	Resulting in significant signs and symptoms of heart failure (e.g. NYHA class III) requiring medical management by modification of medication regimen	Moderate	49.4	94.25	0.4358	0.1247	DW for "Moderate (NYHA 3)" 0.65	0.0763	0.0169	6.4	4.0	\$215.68	\$133.37	2.1	1.5	\$121.80	\$98.82	\$247.85		
	27	Diseases & Disorders of the Circulatory System	Cardiovascular	Heart Failure	Significant signs and symptoms of heart failure (e.g. NYHA class IV) requiring hospitalisation and medical management (e.g. acute pulmonary oedema)	Severe	112.6	134.60	-0.3800	0.1883	DW for "Severe (NYHA 4)" 0.35	0.4256	0.0581	8.9	6.0	\$299.55	\$201.07	4.9	3.2	\$232.18	\$166.67	\$308.60	6.6	\$5,518.11
C06	28	Diseases & Disorders of the Circulatory System	Cardiovascular	Hypertension	Mild signs or symptoms of hypertension which resolve without intervention	Mild	1.9	5.26	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	2.1	1.5	\$71.89	\$50.72	0.1	0.3	\$6.08	\$21.92	\$17.80		
	29	Diseases & Disorders of the Circulatory System	Cardiovascular	Hypertension	Moderate elevation of blood pressure requiring modification of or commencement of medical management	Moderate	6.5	13.09	0.9747	0.0621	Derived using EQ-5D	0.0005	0.0011	4.6	2.7	\$155.77	\$89.84	0.2	0.6	\$12.16	\$43.85	\$248.45		
	30	Diseases & Disorders of the Circulatory System	Cardiovascular	Hypertension	Hypertension resulting in acute injury to target organs (e.g. renal, ocular or cerebral) requiring prompt medical management	Severe	43.4	62.88	0.4590	0.3973	Derived using EQ-5D	0.0643	0.0472	8.0	7.0	\$268.40	\$234.67	3.8	2.5	\$189.64	\$140.48	\$248.45	3.0	\$2,467.71
C07	31	Diseases & Disorders of the Circulatory System	Cardiovascular	Hypotension	Clinical symptoms of hypotension not requiring medical intervention	Mild	4.1	6.89	0.8150	0.1214	Derived using EQ-5D	0.0021	0.0014	1.5	1.0	\$50.33	\$34.19	0.0	0.0	\$0.00	\$0.00	\$17.80		
	32	Diseases & Disorders of the Circulatory System	Cardiovascular	Hypotension	Hypotension requiring medical attention and modification of antihypertensive therapy	Moderate	9.9	9.84	0.6938	0.1422	Derived using EQ-5D	0.0083	0.0038	3.8	1.8	\$127.01	\$61.97	0.4	0.7	\$30.40	\$51.42	\$248.45		
	33	Diseases & Disorders of the Circulatory System	Cardiovascular	Hypotension	Significant haemodynamic consequences of hypotension requiring hospitalisation and intravenous fluid support	Severe	21.2	23.47	-0.2255	0.2151	Derived using EQ-5D	0.0710	0.0125	6.0	3.5	\$201.30	\$117.70	3.8	2.5	\$191.06	\$140.15	\$277.30	3.4	\$3,197.70
C08	34	Diseases & Disorders of the Circulatory System	Cardiovascular	Myocardial Ischaemia	Mild signs or symptoms of angina (e.g. NYHA class I to II) which resolve without intervention	Mild	6.1	7.88	0.5913	0.0864	Derived using EQ-5D	0.0069	0.0015	2.4	1.5	\$79.08	\$50.29	0.8	1.2	\$60.81	\$88.39	\$28.95		
	35	Diseases & Disorders of the Circulatory System	Cardiovascular	Myocardial Ischaemia	Moderate myocardial ischaemia resulting in significant signs and symptoms requiring medical management by modification of medication regimen (e.g. worsened stable angina)	Moderate	13.1	13.58	0.4783	0.2007	Derived using EQ-5D	0.0187	0.0072	4.4	2.1	\$146.18	\$69.14	2.0	1.4	\$118.75	\$93.29	\$259.60	1.5	\$1,464.00
	36	Diseases & Disorders of the Circulatory System	Cardiovascular	Myocardial Ischaemia	Myocardial ischaemia resulting in severe symptoms and signs requiring hospitalisation and medical management (e.g. unstable angina, myocardial infarction)	Severe	40.3	47.43	-0.2750	0.2688	Derived using EQ-5D	0.1408	0.0297	6.3	3.4	\$210.89	\$113.53	4.7	2.8	\$226.51	\$151.02	\$564.80	3.4	\$5,414.61
	37	Various	Cardiovascular	Oedema	Mild signs or symptoms of oedema which resolve without intervention	Mild	4.0	7.85	0.8853	0.1985	Derived using EQ-5D	0.0013	0.0022	0.9	0.6	\$31.15	\$20.66	0.0	0.0	\$0.00	\$0.00	\$0.00		

C09	38	Various	Cardiovascular	Oedema	Moderate oedema resulting in significant symptoms requiring medical management by modification of medication regimen	Moderate	9.8	11.45	0.6613	0.0810	Derived using EQ-5D	0.0091	0.0022	2.9	1.2	\$98.25	\$40.48	0.2	0.6	\$18.24	\$47.36	\$35.60		
	39	Various	Cardiovascular	Oedema	Significant oedema resulting in severe symptoms and signs requiring hospitalisation and management with intravenous diuretics	Severe	37.9	65.34	0.2250	0.2403	Derived using EQ-5D	0.0805	0.0250	4.8	2.7	\$160.56	\$91.34	3.0	1.7	\$158.45	\$105.41	\$266.25	5.7	\$5,408.00
N01	40	Mental Diseases & Disorders	CNS	Anxiety	Mild signs or symptoms of anxiety which resolve without intervention	Mild	15.8	24.55	0.8400	0.1470	DW. Mean of "mild-moderate" agoraphobia, diffuse anxiety disorder, obsessive-compulsive disorder, panic disorder, post-traumatic stress disorder, singular phobia and social	0.0069	0.0064	3.0	3.0	\$100.65	\$99.35	0.0	0.0	\$0.00	\$0.00	\$0.00		
	41	Mental Diseases & Disorders	CNS	Anxiety	Worsening of anxiety requiring modification of existing treatment regimen	Moderate	37.1	52.19	0.8400	0.1470	DW. Mean of "mild-moderate" agoraphobia, diffuse anxiety disorder, obsessive-compulsive disorder, panic disorder, post-traumatic stress disorder, singular phobia and social	0.0163	0.0149	5.4	2.1	\$179.73	\$71.60	1.2	2.3	\$86.68	\$129.42	\$193.20		
	42	Mental Diseases & Disorders	CNS	Anxiety	Anxiety requiring specialist medical attention	Severe	71.1	91.09	0.4400	0.4290	DW. Mean of "severe" agoraphobia, diffuse anxiety disorder, obsessive-compulsive disorder, panic disorder, post-traumatic stress disorder, singular phobia and social	0.1090	0.0835	8.7	4.3	\$292.36	\$143.81	4.7	2.6	\$226.51	\$144.30	\$193.20	4.2	\$3,766.00
N02	43	Diseases & Disorders of the Nervous System	CNS	CNS Depression/sedation	CNS depression/ sedation interfering with normal activities, but not requiring medical intervention	Mild	7.9	10.20	0.6092	0.1248	Derived using EQ-5D	0.0085	0.0027	2.2	1.2	\$73.09	\$40.35	0.2	0.6	\$18.24	\$47.36	\$0.00		
	44	Diseases & Disorders of the Nervous System	CNS	CNS Depression/sedation	CNS depression/ sedation requiring medical attention and interfering significantly with normal activities	Moderate	27.7	36.48	0.2745	0.2759	Derived using EQ-5D	0.0551	0.0210	5.0	2.7	\$167.75	\$91.17	1.5	1.3	\$97.37	\$92.16	\$35.00		
	45	Diseases & Disorders of the Nervous System	CNS	CNS Depression/sedation	Significant CNS depression/ sedation resulting in loss of consciousness or obtundation	Severe	77.5	129.76	-0.3195	0.2298	Derived using EQ-5D	0.2803	0.0488	7.6	5.0	\$254.02	\$169.40	7.9	12.4	\$354.11	\$533.60	\$230.05		
N03	46	Diseases & Disorders of the Nervous System	CNS	Confusion	Mild signs or symptoms of confusion which resolve without intervention	Mild	5.0	5.14	0.6975	0.0720	Derived using EQ-5D	0.0041	0.0010	2.1	1.0	\$69.50	\$33.46	0.3	0.6	\$24.32	\$49.84	\$17.20		
	47	Diseases & Disorders of the Nervous System	CNS	Confusion	Confusion requiring medical management and/or modification of medication regimen	Moderate	16.9	22.46	0.5277	0.1852	Derived using EQ-5D	0.0219	0.0086	4.1	1.7	\$136.60	\$58.06	1.1	1.3	\$82.10	\$89.20	\$139.50		
	48	Diseases & Disorders of the Nervous System	CNS	Confusion	Confusion requiring prompt medical management and investigation	Severe	60.0	102.25	0.0608	0.1590	Derived using EQ-5D	0.1544	0.0261	5.9	3.3	\$196.51	\$109.99	3.9	3.1	\$193.90	\$163.97	\$334.55	7.6	\$5,662.98
N04	49	Diseases & Disorders of the Nervous System	CNS	Dementia	Dementia resulting in some impairment of daily activities only	Mild	55.0	100.37	0.7300	0.3840	DW	0.0407	0.0579	3.2	1.7	\$107.84	\$57.63	0.8	1.6	\$66.89	\$101.80	\$236.35		
	50	Diseases & Disorders of the Nervous System	CNS	Dementia	Dementia to the extent that independent living is not possible without limited supervision	Moderate	151.7	170.84	0.3700	0.4750	DW	0.2619	0.1974	5.6	3.2	\$189.32	\$105.77	2.0	1.2	\$120.17	\$87.64	\$236.35		
	51	Diseases & Disorders of the Nervous System	CNS	Dementia	Dementia to the extent that permanent supervision is required	Severe	262.2	160.25	0.0600	0.1170	DW	0.6751	0.0840	9.3	6.0	\$312.27	\$200.55	3.1	1.9	\$161.29	\$113.15	\$236.35	6.4	\$4,832.71
N05	52	Diseases & Disorders of the Nervous System	CNS	Depression	Mild signs or symptoms of depression which resolve without intervention	Mild	8.9	10.20	0.8600	0.2350	DW	0.0034	0.0057	3.1	2.7	\$104.24	\$91.69	0.2	0.8	\$18.24	\$65.77	\$192.60		
	53	Diseases & Disorders of the Nervous System	CNS	Depression	Worsening of depression requiring modification of treatment regimen	Moderate	30.9	35.04	0.6500	0.2790	DW	0.0297	0.0236	5.9	4.5	\$196.51	\$149.38	0.8	0.9	\$63.85	\$74.89	\$192.60		
	54	Diseases & Disorders of the Nervous System	CNS	Depression	Destabilisation or unmasking of depression requiring specialist medical attention	Severe	92.7	103.62	0.2050	0.4600	DW	0.2019	0.1168	7.5	7.0	\$251.63	\$235.31	5.1	3.2	\$243.52	\$167.62	\$192.60	12.8	\$7,932.04
	55	Diseases & Disorders of the Nervous System	CNS	Headache	Mild signs or symptoms of headache which resolve without intervention	Mild	4.9	10.40	0.8063	0.1011	Derived using EQ-5D	0.0026	0.0014	0.8	1.6	\$26.36	\$52.93	0.0	0.0	\$0.00	\$0.00	\$0.00		

N06	56	Diseases & Disorders of the Nervous System	CNS	Headache	Headache requiring oral analgesics and/or modification of medication regimen	Moderate	8.4	8.99	0.6955	0.0683	Derived using EQ-5D	0.0070	0.0016	1.8	1.0	\$59.91	\$32.71	0.3	0.9	\$24.32	\$67.58	\$0.00		
	57	Diseases & Disorders of the Nervous System	CNS	Headache	Severe headache requiring acute medical management and hospitalisation	Severe	17.2	17.73	-0.2785	0.2714	Derived using EQ-5D	0.0603	0.0128	3.5	2.3	\$117.43	\$77.57	2.1	1.7	\$121.59	\$108.05	\$212.25	1.6	\$1,566.00
N07	58	Diseases & Disorders of the Nervous System	CNS	Insomnia	Mild signs or symptoms of insomnia which resolve without intervention	Mild	8.3	12.67	0.8673	0.0666	Derived using EQ-5D	0.0030	0.0015	0.9	0.9	\$28.76	\$29.00	0.0	0.0	\$0.00	\$0.00	\$0.00		
	59	Diseases & Disorders of the Nervous System	CNS	Insomnia	Insomnia requiring medical management	Moderate	16.6	20.54	0.7155	0.2028	Derived using EQ-5D	0.0129	0.0092	2.6	1.1	\$88.67	\$36.29	0.2	0.6	\$18.24	\$47.36	\$17.20		
	60	Diseases & Disorders of the Nervous System	CNS	Insomnia	Insomnia requiring significant medical intervention and/or modification of medications	Severe	29.0	29.06	0.5163	0.1739	Derived using EQ-5D	0.0384	0.0138	5.1	2.7	\$172.54	\$91.98	1.2	1.6	\$88.21	\$102.44	\$17.20		
N08	61	Diseases & Disorders of the Nervous System	CNS	Parkinsonism	Mild Parkinsonian symptoms of tremors and rigidity; slowness, impaired swallowing and speech; disturbance of equilibrium; patient is able to function independently	Mild	38.1	97.45	0.5200	0.4060	DW	0.0502	0.0424	2.8	1.8	\$93.46	\$59.11	1.1	1.0	\$84.72	\$80.13	\$212.25		
	62	Diseases & Disorders of the Nervous System	CNS	Parkinsonism	Swallowing and speech severely impaired; autonomic nervous system disturbances; patients are ADL-dependent, but are able to move without help	Moderate	83.2	127.51	0.2100	0.2650	DW	0.1800	0.0604	5.3	3.1	\$177.34	\$103.14	2.9	1.2	\$152.78	\$88.24	\$212.25		
	63	Diseases & Disorders of the Nervous System	CNS	Parkinsonism	Severe Parkinsonian symptoms- patient wheelchair and bed-bound; severely handicapped	Severe	213.4	162.20	0.0800	0.1610	DW	0.5378	0.0941	7.8	4.9	\$260.66	\$162.73	4.8	2.5	\$231.74	\$139.06	\$212.25	6.4	\$4,832.71
N09	64	Diseases & Disorders of the Nervous System	CNS	Psychosis	Mild signs or symptoms of psychosis which resolve without intervention	Mild	8.5	9.84	0.7900	0.3790	DW "one psychotic episode, no permanent impairments"	0.0049	0.0088	2.1	1.0	\$71.89	\$34.46	0.6	0.9	\$50.82	\$73.42	\$17.20		
	65	Diseases & Disorders of the Nervous System	CNS	Psychosis	Worsening of psychotic illness requiring modification of treatment regimen	Moderate	43.4	77.72	0.2900	0.2790	DW "Several psychotic episodes, some permanent impairment"	0.0843	0.0331	5.4	2.9	\$179.73	\$96.35	4.8	6.0	\$229.34	\$277.64	\$212.25		
	66	Diseases & Disorders of the Nervous System	CNS	Psychosis	Destabilisation or unmasking of psychosis requiring specialist medical attention	Severe	91.7	101.48	0.4720	0.3050	DW "Several psychotic episodes, obvious permanent impairments"	0.1326	0.0766	6.3	4.1	\$211.62	\$136.55	6.8	4.6	\$311.14	\$223.32	\$212.25	23.8	\$10,683.33
N10	67	Diseases & Disorders of the Nervous System	CNS	Seizures	Mild one-off seizure unlikely to recur or require management	Mild	2.4	1.50	0.5998	0.3208	Derived using EQ-5D	0.0026	0.0021	2.0	1.4	\$67.10	\$47.45	1.0	1.2	\$79.05	\$88.59	\$230.05		
	68	Diseases & Disorders of the Nervous System	CNS	Seizures	Seizure requiring medical attention or modification of medication regimen	Moderate	6.0	3.80	0.3915	0.3140	Derived using EQ-5D	0.0100	0.0052	4.1	2.1	\$136.60	\$70.21	2.1	1.8	\$121.59	\$111.49	\$230.05		
	69	Diseases & Disorders of the Nervous System	CNS	Seizures	Severe seizures requiring hospitalisation and intravenous anticonvulsants	Severe	27.8	32.03	-0.2493	0.2237	DW "epilepsy" 0.89	0.0951	0.0170	5.3	3.7	\$177.34	\$123.75	4.4	2.8	\$215.16	\$149.14	\$633.25	2.6	\$2,780.51
N11	70	Diseases & Disorders of the Nervous System	CNS	Serotonin toxicity	Mild signs or symptoms of serotonin toxicity which resolve without intervention	Mild	3.7	5.46	0.6990	0.3260	Derived using EQ-5D	0.0031	0.0033	1.3	0.7	\$43.14	\$24.37	0.1	0.3	\$6.08	\$21.92	\$0.00		
	71	Diseases & Disorders of the Nervous System	CNS	Serotonin toxicity	Serotonin toxicity requiring medical management and/or modification of medication regimen	Moderate	9.4	8.63	0.4105	0.4607	Derived using EQ-5D	0.0151	0.0118	3.6	2.2	\$122.22	\$72.80	2.0	3.2	\$118.75	\$166.97	\$17.20		
	72	Diseases & Disorders of the Nervous System	CNS	Serotonin toxicity	Serotonin toxicity requiring prompt medical management and investigation (e.g euphoria, tremor, severe anxiety, palpitations)	Severe	15.2	11.92	-0.1998	0.2641	Derived using EQ-5D	0.0500	0.0110	4.5	3.0	\$150.98	\$100.86	2.9	2.2	\$152.78	\$127.24	\$17.20		
D01	73	Endocrine, Nutritional & Metabolic Diseases & Disorders	Diabetes	Hyperglycaemia	Hyperglycaemia requiring (increased) monitoring but no additional medical management (e.g. reduced control of diabetes, drug-induced hyperglycaemia)	Mild	5.7	5.52	0.9180	0.0908	DW "Uncomplicated diabetes" 0.93	0.0013	0.0014	2.8	1.8	\$92.26	\$59.13	0.1	0.3	\$6.08	\$21.92	\$30.25		
	74	Endocrine, Nutritional & Metabolic Diseases & Disorders	Diabetes	Hyperglycaemia	Hyperglycaemia requiring medical management or modification of diabetes treatment regimen	Moderate	10.6	7.27	0.8263	0.1018	Derived using EQ-5D	0.0050	0.0029	4.7	2.3	\$158.16	\$77.21	0.9	1.2	\$69.93	\$88.08	\$30.25		
	75	Endocrine, Nutritional & Metabolic Diseases & Disorders	Diabetes	Hyperglycaemia	Complications of hyperglycaemia requiring specialist medical attention in hospital	Severe	39.2	65.02	0.6085	0.0892	Derived using EQ-5D	0.0421	0.0096	6.3	5.1	\$210.33	\$170.88	4.5	2.9	\$216.58	\$152.84	\$68.05	4.8	\$4,481.62
D02	76	Endocrine, Nutritional & Metabolic Diseases & Disorders	Diabetes	Hypoglycaemia	Mild signs or symptoms of hypoglycaemia which resolve without intervention	Mild	3.8	5.89	0.8352	0.0918	Derived using EQ-5D	0.0017	0.0010	1.6	1.2	\$55.12	\$40.79	0.0	0.0	\$0.00	\$0.00	\$9.75		
	77	Endocrine, Nutritional & Metabolic Diseases & Disorders	Diabetes	Hypoglycaemia	Hypoglycaemia requiring additional oral medical management or modification of medication regimen	Moderate	8.1	9.55	0.7565	0.1561	Derived using EQ-5D	0.0054	0.0035	3.6	1.8	\$122.22	\$61.17	0.9	1.0	\$72.97	\$75.42	\$19.50		
	78	Endocrine, Nutritional & Metabolic Diseases & Disorders	Diabetes	Hypoglycaemia	Hypoglycaemia requiring intravenous management	Severe	14.4	13.65	0.0387	0.2716	Derived using EQ-5D	0.0378	0.0107	5.6	3.4	\$189.32	\$112.90	3.6	2.1	\$181.14	\$124.23	\$29.25	5.3	\$4,023.69

E01	79	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Acidosis	Mild signs or symptoms of acidosis which resolve without intervention	Mild	8.9	26.26	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	1.8	1.5	\$59.91	\$49.55	0.0	0.0	\$0.00	\$0.00	\$17.80		
	80	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Acidosis	Moderate acidosis requiring medical management without hospitalisation	Moderate	11.4	12.59	0.8115	0.1034	Derived using EQ-5D	0.0059	0.0032	5.0	5.7	\$167.75	\$189.79	1.3	1.4	\$90.39	\$94.25	\$77.20		
	81	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Acidosis	Severe acidosis requiring hospitalisation, electrolyte replacement and/or respiratory support	Severe	22.5	17.14	0.1297	0.3415	Derived using EQ-5D	0.0537	0.0211	5.9	4.5	\$196.51	\$151.68	5.9	6.7	\$271.88	\$306.74	\$154.40	3.7	\$3,437.85
E02	82	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Alkalosis	Mild signs or symptoms of alkalosis which resolve without intervention	Mild	9.4	26.17	0.9288	0.1169	Derived using EQ-5D	0.0018	0.0030	2.5	3.0	\$83.88	\$99.13	0.1	0.3	\$6.08	\$21.92	\$0.00		
	83	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Alkalosis	Moderate alkalosis requiring medical management without hospitalisation	Moderate	8.5	15.06	0.9033	0.1245	Derived using EQ-5D	0.0023	0.0029	3.6	2.1	\$119.82	\$70.52	1.3	1.2	\$88.98	\$86.55	\$35.00		
	84	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Alkalosis	Severe alkalosis requiring hospitalisation with electrolyte replacement	Severe	17.6	16.35	0.3778	0.3671	Derived using EQ-5D	0.0301	0.0177	6.0	5.2	\$201.30	\$175.07	4.0	3.4	\$198.15	\$175.10	\$69.30	3.7	\$3,437.85
E03	85	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypercalcaemia	Mild signs or symptoms of hypercalcaemia which resolve without intervention	Mild	4.0	5.67	0.9660	0.0833	Derived using EQ-5D	0.0004	0.0009	1.6	1.2	\$52.72	\$41.01	0.3	0.6	\$24.32	\$49.84	\$0.00		
	86	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypercalcaemia	Hypercalcaemia requiring medical management and/or modification of medication regimen	Moderate	10.6	10.03	0.8575	0.1224	Derived using EQ-5D	0.0042	0.0036	3.4	1.4	\$112.63	\$48.54	1.7	1.6	\$106.53	\$102.92	\$40.45		
	87	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypercalcaemia	Hypercalcaemia requiring prompt medical management and investigation	Severe	26.4	30.91	0.3242	0.3373	Derived using EQ-5D	0.0489	0.0244	5.1	3.3	\$172.54	\$109.99	4.1	1.8	\$203.82	\$110.47	\$40.45	3.7	\$3,437.85
E04	88	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hyperkalaemia	Mild signs or symptoms of hyperkalaemia which resolve without intervention	Mild	2.7	5.58	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	1.6	0.9	\$52.72	\$31.46	0.1	0.3	\$6.08	\$21.92	\$17.80		
	89	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hyperkalaemia	Hyperkalaemia requiring medical management and/or modification of medication regimen	Moderate	7.9	9.45	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	3.6	1.6	\$122.22	\$55.22	0.6	0.9	\$48.65	\$68.75	\$63.85		
	90	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hyperkalaemia	Hyperkalaemia requiring prompt medical management and investigation (e.g. palpitations, bradycardia)	Severe	18.9	21.76	0.5145	0.2968	Derived using EQ-5D	0.0251	0.0153	7.5	7.9	\$251.63	\$266.05	3.1	2.1	\$161.29	\$122.43	\$63.85	3.0	\$2,640.48
E05	91	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hyperthyroidism	Mild signs or symptoms of hyperthyroidism likely to resolve without intervention	Mild	5.1	5.15	0.9493	0.0785	Derived using EQ-5D	0.0007	0.0011	2.1	2.0	\$69.50	\$67.70	0.1	0.3	\$6.08	\$21.92	\$175.40		
	92	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hyperthyroidism	Hyperthyroidism requiring medical management and/or modification of medication regimen	Moderate	12.5	9.96	0.8397	0.2413	Derived using EQ-5D	0.0055	0.0083	3.9	1.9	\$129.41	\$64.28	1.6	1.6	\$101.74	\$101.08	\$175.40		
	93	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hyperthyroidism	Signs or symptoms of hyperthyroidism requiring significant medical management and modification of medication regimen	Severe	32.4	27.83	0.4820	0.2213	Derived using EQ-5D	0.0459	0.0196	5.3	3.7	\$177.34	\$123.75	3.4	1.8	\$172.63	\$111.73	\$175.40	2.4	\$6,406.00
E06	94	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypocalcaemia	Mild signs or symptoms of hypocalcaemia which resolve without intervention	Mild	3.7	5.20	0.9542	0.1123	Derived using EQ-5D	0.0005	0.0011	1.7	1.0	\$57.51	\$33.37	0.1	0.3	\$6.08	\$21.92	\$0.00		
	95	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypocalcaemia	Hypocalcaemia requiring medical management and/or modification of medication regimen	Moderate	9.4	9.46	0.8257	0.1567	Derived using EQ-5D	0.0045	0.0040	3.9	1.6	\$131.80	\$54.99	1.6	1.3	\$101.74	\$90.32	\$40.45		
	96	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypocalcaemia	Hypocalcaemia requiring prompt medical management and investigation	Severe	24.5	37.73	0.3110	0.4586	Derived using EQ-5D	0.0462	0.0308	5.2	3.3	\$174.94	\$111.80	3.6	1.7	\$183.97	\$106.52	\$40.45	3.7	\$3,437.85
E07	97	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypokalaemia	Mild signs or symptoms of hypokalaemia which resolve without intervention	Mild	3.6	5.05	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	1.6	0.6	\$52.72	\$21.68	0.2	0.6	\$18.24	\$47.36	\$17.80		
	98	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypokalaemia	Hypokalaemia requiring medical management and/or modification of medication regimen	Moderate	10.3	15.84	0.8940	0.1949	Derived using EQ-5D	0.0030	0.0055	3.5	1.7	\$117.43	\$56.98	1.1	1.2	\$82.10	\$86.50	\$63.85		
	99	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypokalaemia	Hypokalaemia requiring prompt medical management and investigation (e.g. palpitations, tachycardia)	Severe	27.4	45.45	0.2735	0.4965	Derived using EQ-5D	0.0545	0.0372	5.3	3.3	\$177.34	\$111.22	3.5	1.7	\$178.30	\$104.95	\$63.85	3.0	\$2,640.48
E08	100	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hyponatremia	Mild signs or symptoms of hyponatremia which resolve without intervention	Mild	3.5	5.61	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	1.0	0.9	\$33.55	\$29.43	0.0	0.0	\$0.00	\$0.00	\$17.80		
	101	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hyponatremia	Moderate hyponatremia requiring medical management without hospitalisation	Moderate	10.1	10.64	0.8940	0.1949	Derived using EQ-5D	0.0029	0.0054	3.3	1.1	\$110.24	\$38.20	0.5	0.8	\$42.57	\$61.36	\$17.80		
	102	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hyponatremia	Severe hyponatremia requiring hospitalisation, electrolyte replacement and/or respiratory support	Severe	23.5	23.54	0.2735	0.4965	Derived using EQ-5D	0.0469	0.0320	4.4	2.6	\$148.58	\$88.00	4.1	2.9	\$200.99	\$153.21	\$17.80	3.7	\$3,437.85

E09	103	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypothyroidism	Mild signs or symptoms of hypothyroidism likely to resolve without intervention	Mild	8.8	12.12	0.9747	0.0621	Derived using EQ-5D	0.0006	0.0015	2.3	1.7	\$76.69	\$56.49	0.0	0.0	\$0.00	\$0.00	\$175.40		
	104	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypothyroidism	Hypothyroidism requiring medical management and/or modification of medication regimen	Moderate	14.7	17.01	0.9238	0.0864	Derived using EQ-5D	0.0031	0.0035	4.0	1.6	\$134.20	\$54.26	0.8	1.2	\$60.81	\$88.39	\$175.40		
	105	Endocrine, Nutritional & Metabolic Diseases & Disorders	Electrolytes/Metabolic	Hypothyroidism	Signs or symptoms of hypothyroidism requiring significant medical management and modification of medication regimen	Severe	27.1	32.03	0.5637	0.2466	Derived using EQ-5D	0.0324	0.0183	5.4	2.7	\$179.73	\$91.75	2.6	1.4	\$141.44	\$94.87	\$210.55	3.1	\$3,850.86
O01	106	Diseases & Disorders of the Eye	Ophthalmic	Eye condition, acute	Eye complaint requiring minimal or no intervention, e.g. mild dry eye or allergic conjunctivitis	Mild	3.5	3.70	0.9800	0.1280	DW "mild vision loss"	0.0002	0.0012	0.9	0.5	\$31.15	\$15.92	0.0	0.0	\$0.00	\$0.00	\$0.00		
	107	Diseases & Disorders of the Eye	Ophthalmic	Eye condition, acute	Eye complaint requiring medical intervention, e.g. moderate-severe dry eye	Moderate	10.4	9.31	0.8300	0.3230	DW "moderate vision loss"	0.0048	0.0092	2.6	1.1	\$88.67	\$36.29	0.6	0.8	\$50.82	\$66.55	\$0.00		
	108	Diseases & Disorders of the Eye	Ophthalmic	Eye condition, acute	Eye complaint requiring acute hospitalisation or specialist involvement, e.g. ophthalmic herpes, angle-closure glaucoma	Severe	20.2	16.84	0.4300	0.3050	DW "severe vision loss"	0.0315	0.0169	4.2	2.9	\$141.39	\$97.75	3.6	2.3	\$183.97	\$130.95	\$0.00	2.2	\$2,841.79
O02	109	Diseases & Disorders of the Eye	Ophthalmic	Eye condition, chronic	Vision condition not requiring intervention, e.g. mild elevation of IOP, mild age-related macular degeneration	Mild	5.5	8.73	0.9800	0.1280	DW "mild vision loss"	0.0003	0.0019	1.7	1.0	\$57.51	\$33.37	1.2	1.3	\$87.56	\$89.03	\$32.85		
	110	Diseases & Disorders of the Eye	Ophthalmic	Eye condition, chronic	Vision condition requiring medical intervention, e.g. moderate elevation of IOP	Moderate	24.8	51.92	0.8300	0.3230	DW "moderate vision loss"	0.0115	0.0219	3.1	1.5	\$103.05	\$50.05	2.7	1.7	\$147.11	\$106.20	\$32.85		
	111	Diseases & Disorders of the Eye	Ophthalmic	Eye condition, chronic	Severe vision condition likely to result in blindness requiring acute intervention, e.g. severe glaucoma	Severe	45.5	97.39	0.4300	0.3050	DW "severe vision loss"	0.0710	0.0380	4.6	2.4	\$155.77	\$80.70	4.6	2.1	\$223.67	\$122.64	\$32.85	1.5	\$2,976.15
G01	112	Diseases & Disorders of the Digestive System	Gastrointestinal	Constipation	Mild signs or symptoms of constipation likely to resolve without intervention	Mild	6.1	10.65	0.7945	0.1065	Derived using EQ-5D	0.0035	0.0018	1.1	1.2	\$38.34	\$39.16	0.0	0.0	\$0.00	\$0.00	\$0.00		
	113	Diseases & Disorders of the Digestive System	Gastrointestinal	Constipation	Constipation requiring medical management and/or modification of medication regimen	Moderate	11.7	16.23	0.7250	0.0000	Derived using EQ-5D	0.0088	0.0000	2.9	2.2	\$95.86	\$75.43	0.2	0.6	\$18.24	\$47.36	\$193.20		
	114	Diseases & Disorders of the Digestive System	Gastrointestinal	Constipation	Constipation requiring hospitalisation and medical and/or surgical management	Severe	22.6	22.43	0.2157	0.4068	Derived using EQ-5D	0.0485	0.0252	4.4	2.4	\$146.18	\$80.70	2.1	2.4	\$124.42	\$135.16	\$502.05	3.8	\$3,538.17
G02	115	Diseases & Disorders of the Digestive System	Gastrointestinal	Diarrhoea	Mild signs or symptoms of diarrhoea likely to resolve without intervention	Mild	2.9	2.63	0.9900	0.0060	DW "digestive tract infection, uncomplicated course (duration 2 weeks)"	0.0020	0.0012	1.0	0.7	\$33.55	\$22.79	0.0	0.0	\$0.00	\$0.00	\$0.00		
	116	Diseases & Disorders of the Digestive System	Gastrointestinal	Diarrhoea	Diarrhoea requiring medical management and/or modification of medication	Moderate	7.9	6.27	0.9700	0.1043	DW "digestive tract infection, complicated course (duration 2 weeks)"	0.0168	0.0585	2.1	0.8	\$71.89	\$25.84	0.3	0.6	\$24.32	\$49.84	\$53.25		
	117	Diseases & Disorders of the Digestive System	Gastrointestinal	Diarrhoea	Requiring hospitalisation for significant diarrhoea-related electrolyte and hydration complications	Severe	14.3	12.22	0.6000	0.3110	DW "acute exacerbation of inflammatory bowel disease"	0.0157	0.0122	3.5	2.0	\$117.43	\$66.78	2.2	2.0	\$125.84	\$117.83	\$362.10	2.1	\$4,220.00
G03	118	Diseases & Disorders of the Digestive System	Gastrointestinal	Gastrointestinal bleeding	Occult gastrointestinal bleeding likely to require medical management only if persistent	Mild	1.9	2.07	0.9747	0.0621	Derived using EQ-5D	0.0001	0.0003	2.0	1.0	\$67.10	\$32.23	0.3	0.6	\$24.32	\$49.84	\$9.05		
	119	Diseases & Disorders of the Digestive System	Gastrointestinal	Gastrointestinal bleeding	Overt gastrointestinal bleeding requiring medical management	Moderate	8.4	7.75	0.5920	0.2284	Derived using EQ-5D	0.0093	0.0052	3.4	1.5	\$115.03	\$48.73	2.0	1.0	\$117.33	\$80.89	\$26.25	1.6	\$1,501.00
	120	Diseases & Disorders of the Digestive System	Gastrointestinal	Gastrointestinal bleeding	Overt gastrointestinal bleeding with haemodynamic consequences requiring prompt medical management	Severe	29.8	48.48	-0.1965	0.2489	Derived using EQ-5D	0.0976	0.0203	4.8	2.7	\$160.56	\$90.39	3.9	2.6	\$192.48	\$141.29	\$189.90	3.3	\$2,830.00
G04	121	Diseases & Disorders of the Digestive System	Gastrointestinal	Gastrointestinal discomfort	Mild signs or symptoms of gastrointestinal discomfort (e.g. GI pain, mild reflux) likely to resolve without intervention	Mild	9.9	26.01	0.7188	0.0417	Derived using EQ-5D	0.0076	0.0011	1.1	1.2	\$35.95	\$40.48	0.0	0.0	\$0.00	\$0.00	\$0.00		
	122	Diseases & Disorders of the Digestive System	Gastrointestinal	Gastrointestinal discomfort	Gastrointestinal discomfort requiring medical management and/or modification of medication regimen	Moderate	11.2	9.74	0.6198	0.0848	Derived using EQ-5D	0.0117	0.0026	2.6	1.2	\$88.67	\$40.79	0.5	0.7	\$42.57	\$52.19	\$35.00		
	123	Diseases & Disorders of the Digestive System	Gastrointestinal	Gastrointestinal discomfort	Gastrointestinal discomfort requiring prompt medical management and investigation	Severe	27.6	36.77	-0.4298	0.2222	Derived using EQ-5D	0.1080	0.0168	4.7	3.1	\$158.16	\$103.14	2.1	1.3	\$124.42	\$90.66	\$455.15	5.2	\$4,597.00
G05	124	Diseases & Disorders of the Digestive System	Gastrointestinal	Liver Disease	Mild liver disease likely to resolve without intervention	Mild	4.4	8.51	0.8915	0.1300	Derived using EQ-5D	0.0013	0.0016	1.4	1.2	\$45.53	\$40.79	0.2	0.6	\$12.16	\$43.85	\$17.80		
	125	Diseases & Disorders of the Digestive System	Gastrointestinal	Liver Disease	Moderate liver disease requiring modification of medications and medical intervention	Moderate	12.7	14.13	0.7070	0.1830	Derived using EQ-5D	0.0102	0.0064	4.1	1.5	\$138.99	\$50.72	1.9	1.5	\$115.70	\$98.82	\$35.00		

	126	Diseases & Disorders of the Digestive System	Gastrointestinal	Liver Disease	Severe liver disease requiring hospitalisation and acute medical management	Severe	48.2	61.52	0.1785	0.4429	Derived using EQ-5D	0.1085	0.0585	6.4	4.5	\$215.68	\$150.45	4.5	2.6	\$218.00	\$143.52	\$35.00	4.1	\$4,058.04
G06	127	Diseases & Disorders of the Digestive System	Gastrointestinal	Nausea and vomiting	Mild signs or symptoms of nausea likely to resolve without intervention	Mild	3.0	3.64	0.7310	0.0755	Derived using EQ-5D	0.0022	0.0006	0.9	0.6	\$31.15	\$20.66	0.0	0.0	\$0.00	\$0.00	\$0.00		
	128	Diseases & Disorders of the Digestive System	Gastrointestinal	Nausea and vomiting	Nausea and vomiting requiring medical management and/or modification of medication	Moderate	6.4	6.39	0.5892	0.2012	Derived using EQ-5D	0.0072	0.0035	2.4	1.1	\$79.08	\$36.29	0.4	1.0	\$32.94	\$78.75	\$17.80		
	129	Diseases & Disorders of the Digestive System	Gastrointestinal	Nausea and vomiting	Requiring hospitalisation for significant vomiting-related electrolyte and hydration complications	Severe	13.1	13.53	-0.2072	0.3475	Derived using EQ-5D	0.0432	0.0124	3.3	1.4	\$110.24	\$48.22	2.2	1.8	\$127.26	\$111.01	\$35.60	3.7	\$3,437.85
G07	130	Diseases & Disorders of the Digestive System	Gastrointestinal	Oral disorder	Mild signs and symptoms of an oral disorder which resolve without intervention, e.g. dysphonia, mild xerostomia	Mild	4.1	5.53	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	0.9	0.7	\$31.15	\$24.49	0.0	0.0	\$0.00	\$0.00	\$0.00		
	131	Diseases & Disorders of the Digestive System	Gastrointestinal	Oral disorder	Signs and symptoms of an oral disorder which require medical intervention, e.g. oral thrush, severe oral ulceration	Moderate	9.1	9.19	1.0000	0.0000	DW "gingivitis"	0.0000	0.0000	2.2	1.2	\$74.29	\$39.87	0.3	0.6	\$24.32	\$49.84	\$0.00		
	132	Diseases & Disorders of the Digestive System	Gastrointestinal	Oral disorder	Oral disorder which require substantial medical or surgical intervention, e.g. osteonecrosis of the jaw	Severe	50.2	62.28	0.9500	0.0333	DW "eudentalism"	0.0069	0.0046	4.0	2.1	\$134.20	\$69.63	4.5	3.2	\$218.00	\$165.61	\$43.75	1.8	\$1,769.35
I01	133	Various	Infection	Infection, general	Mild signs or symptoms of infection which resolve without intervention	Mild	3.1	2.97	0.9900	0.1060	DW "Acute non-STI urethritis (duration 1 week)"	0.0044	0.0465	1.3	1.3	\$43.14	\$42.50	0.3	1.1	\$24.32	\$83.39	\$0.00		
	134	Various	Infection	Infection, general	Infection with moderate complications requiring medical attention and oral antibiotics (e.g. PSI class I pneumonia)	Moderate	9.9	7.52	0.9900	0.1410	DW "Acyte cystitis (duration 1 week)"	0.0142	0.2000	2.7	1.0	\$91.06	\$33.37	0.3	0.9	\$24.32	\$67.58	\$17.20		
	135	Various	Infection	Infection, general	Infection requiring hospitalisation and intravenous antibiotics (eg PSI class III pneumonia)	Severe	22.6	16.53	0.9900	0.1010	DW "Acute pyelonephritis"	0.0006	0.0062	4.1	2.6	\$138.99	\$88.14	2.5	2.8	\$138.60	\$150.28	\$129.60	3.7	\$3,508.95
M01	136	Diseases & Disorders of the Musculoskeletal System & Connective Tissue	Musculoskeletal	Myopathy	Mild muscle pain not requiring intervention	Mild	9.1	16.29	0.7198	0.0874	Derived using EQ-5D	0.0070	0.0022	1.3	1.2	\$43.14	\$40.41	0.1	0.3	\$6.08	\$21.92	\$0.00		
	137	Diseases & Disorders of the Musculoskeletal System & Connective Tissue	Musculoskeletal	Myopathy	Moderate muscle pain requiring modification of medications without elevation in creatine kinase	Moderate	13.0	15.72	0.5977	0.0790	Derived using EQ-5D	0.0143	0.0028	2.8	1.0	\$93.46	\$32.71	0.5	1.0	\$36.48	\$76.47	\$26.95		
	138	Diseases & Disorders of the Musculoskeletal System & Connective Tissue	Musculoskeletal	Myopathy	Severe myopathy with elevation of creatine kinase requiring cessation of medication	Severe	29.9	45.79	-0.0828	0.4338	Derived using EQ-5D	0.0886	0.0355	4.6	1.5	\$155.77	\$50.29	1.8	1.5	\$109.59	\$98.13	\$26.95		
M02	139	Diseases & Disorders of the Musculoskeletal System & Connective Tissue	Musculoskeletal	Osteoporosis	Minor osteoporotic fracture requiring GP or outpatient management	Mild	28.0	97.03	0.9910	0.0000	GBD	0.0007	0.0000	2.1	1.3	\$71.89	\$43.36	0.1	0.3	\$6.08	\$21.92	\$137.60		
	140	Diseases & Disorders of the Musculoskeletal System & Connective Tissue	Musculoskeletal	Osteoporosis	Minor fracture requiring GP or outpatient management and not resulting in permanent disability	Moderate	47.3	94.51	0.9910	0.0000	GBD	0.0012	0.0000	4.6	2.6	\$153.37	\$87.01	1.2	1.4	\$88.21	\$93.48	\$137.60		
	141	Diseases & Disorders of the Musculoskeletal System & Connective Tissue	Musculoskeletal	Osteoporosis	Major osteoporotic fracture resulting in hospitalisation	Severe	84.6	101.95	0.8970	0.2180	DW mean of hip/leg, arm/shoulder,ankle fracture	0.0239	0.0505	5.6	3.5	\$189.32	\$118.15	3.6	1.5	\$183.97	\$100.87	\$155.40	3.7	\$3,490.57
P01	142	Various	Pain	Pain	Mild pain responding to currently prescribed agents	Mild	6.8	10.24	0.6900	0.0888	Derived using EQ-5D	0.0058	0.0017	1.4	1.2	\$47.93	\$38.85	0.0	0.0	\$0.00	\$0.00	\$0.00		
	143	Various	Pain	Pain	Moderate pain requiring intensification of oral analgesics	Moderate	13.9	12.90	0.4830	0.3695	Derived using EQ-5D	0.0197	0.0141	3.5	1.5	\$117.43	\$48.80	0.3	0.8	\$24.32	\$59.37	\$0.00		
	144	Various	Pain	Pain	Severe pain requiring management using specialist techniques or advice (e.g. hospitalisation, intravenous or epidural opioids or anaesthetics)	Severe	80.0	106.25	-0.3172	0.2038	Derived using EQ-5D	0.2887	0.0447	6.6	3.9	\$222.87	\$129.34	4.1	2.5	\$203.82	\$138.88	\$0.00	3.7	\$7,193.60
	145	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Renal Dysfunction	Mild signs or symptoms of renal dysfunction which resolve without intervention	Mild	1.4	1.86	0.9542	0.1123	Derived using EQ-5D	0.0002	0.0004	1.6	1.3	\$52.72	\$45.04	0.1	0.3	\$6.08	\$21.92	\$35.00		
	146	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Renal Dysfunction	Renal dysfunction requiring medical management and/or modification of medication regimen	Moderate	7.2	4.49	0.8940	0.1949	GBD "treated renal failure" 0.89	0.0021	0.0039	3.9	1.7	\$129.41	\$55.61	1.1	1.1	\$82.10	\$83.62	\$35.00		

U01	147	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Renal Dysfunction	Acute decline in renal function requiring prompt medical management and investigation	Severe	41.6	75.41	0.5000	0.3658	DW "Diabetic nephropathy"; used by ABDI for "end stage renal failure" 0.71 "Diabetic nephropathy"; used by ABDI for "end stage renal failure"	0.0570	0.0417	6.1	3.2	\$203.70	\$106.47	4.1	2.4	\$200.99	\$134.66	\$164.60	6.5	\$6,395.05
	148	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Urinary Incontinence	Mild signs or symptoms of urinary incontinence which resolve without intervention	Mild	5.4	8.93	1.0000	0.0000	ABDI "Occasional urine leakage"	0.0000	0.0000	0.9	0.8	\$28.76	\$25.84	0.1	0.3	\$6.08	\$21.92	\$20.70		
U02	149	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Urinary Incontinence	Urinary incontinence requiring medical management and/or modification of medication regimen	Moderate	31.1	53.92	0.9750	0.0000	ABDI "Moderate incontinence"	0.0021	0.0000	3.2	1.3	\$107.84	\$44.00	1.1	1.0	\$81.89	\$78.83	\$20.70		
	150	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Urinary Incontinence	Urinary incontinence requiring hospitalisation and medical and/or surgical management	Severe	100.6	133.30	0.8430	0.0000	ABDI "Severe incontinence"	0.0433	0.0000	4.8	2.7	\$160.56	\$90.39	3.9	2.4	\$192.48	\$136.42	\$37.90	2.8	\$2,554.40
U03	151	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Urinary retention	Symptomatic urinary retention not requiring medical management	Mild	3.6	5.47	0.9720	0.0000	ABDI "Symptomatic benign prostatic hypertrophy"	0.0003	0.0000	1.1	0.8	\$38.34	\$25.84	0.2	0.6	\$12.16	\$43.85	\$20.70		
	152	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Urinary retention	Symptomatic urinary retention requiring medical management	Moderate	7.9	8.19	0.8490	0.0000	ABDI "Urethral stricture associated with benign prostatic hypertrophy"	0.0033	0.0000	2.6	0.9	\$88.67	\$31.16	1.3	1.1	\$90.39	\$81.79	\$20.70		
	153	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Urinary retention	Symptomatic urinary retention requiring catheterisation	Severe	21.9	25.41	0.8430	0.0000	ABDI "Urinary incontinence associated with benign prostatic hypertrophy"	0.0094	0.0000	4.2	2.3	\$141.39	\$78.05	3.2	1.5	\$166.96	\$100.02	\$20.70	2.9	\$4,159.12
U04	154	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Urinary Tract Infection	Mild signs or symptoms of UTI which resolve without intervention	Mild	1.9	1.56	0.9900	0.1060	DW "Acute non-STI urethritis (duration 1 week)"	0.0027	0.0281	0.6	0.5	\$19.17	\$17.23	0.0	0.0	\$0.00	\$0.00	\$20.70		
	155	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Urinary Tract Infection	Moderate UTI requiring medical attention and oral antibiotics	Moderate	3.9	1.54	0.9900	0.1410	DW "Acute cystitis (duration 1 week)"	0.0056	0.0791	1.4	0.5	\$45.53	\$16.68	0.0	0.0	\$0.00	\$0.00	\$20.70		
	156	Diseases & Disorders of the Kidney & Urinary Tract	Renal system	Urinary Tract Infection	UTI requiring hospitalisation and intravenous antibiotics, e.g. pyelonephritis	Severe	11.5	6.09	0.9900	0.1010	DW "Acute pyelonephritis"	0.0003	0.0032	2.6	1.5	\$86.27	\$48.73	1.9	1.7	\$113.08	\$106.97	\$129.80	4.3	\$3,644.55
S01	157	Various	Reproductive System	Birth Defect	Minor birth defect that does not affect the newborn	Mild	14.3	47.76	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	1.8	1.2	\$59.91	\$39.87	0.9	0.9	\$67.76	\$68.33	\$17.20		
	158	Various	Reproductive System	Birth Defect	Birth defect not affecting course of pregnancy but resulting in damage to the newborn	Moderate	93.8	155.00	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	3.9	2.5	\$131.80	\$83.71	2.8	1.8	\$149.94	\$112.68	\$17.20		
	159	Various	Reproductive System	Birth Defect	Severe birth defect requiring termination of pregnancy	Severe	77.5	130.10	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	4.4	2.3	\$146.18	\$77.41	4.1	2.9	\$203.82	\$152.56	\$17.20		
S02	160	Diseases & Disorders of the Female Reproductive System	Reproductive System	Female reproductive system disorder	Female reproductive system issue requiring minimal intervention, e.g mild episode of vaginal thrush, mild menopausal symptoms, mild-menopausal dysmenorrhoea	Mild	4.9	4.30	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	1.1	0.8	\$35.95	\$27.80	0.0	0.0	\$0.00	\$0.00	\$0.00		
	161	Diseases & Disorders of the Female Reproductive System	Reproductive System	Female reproductive system disorder	Female reproductive system issue requiring GP medical intervention, e.g menopausal symptoms, sexually transmissible infection, complicated episode of vaginal thrush, severe dysmenorrhoea	Moderate	11.9	10.22	0.9900	0.0071	DW "symptomatic chlamydia or gonorrhoea, duration 1 week"	0.0170	0.0121	2.6	0.7	\$88.67	\$24.99	0.6	0.8	\$48.65	\$60.71	\$51.20		
	162	Diseases & Disorders of the Female Reproductive System	Reproductive System	Female reproductive system disorder	Major issue involving the female reproductive system requiring significant medical intervention, e.g total contraceptive failure resulting in undesired pregnancy	Severe	43.2	80.40	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	4.0	1.8	\$134.20	\$60.30	2.6	1.0	\$141.44	\$79.70	\$51.20		
S03	163	Diseases & Disorders of the Male Reproductive System	Reproductive System	Male reproductive system disorder	Male reproductive system disorder which resolves without intervention, e.g. reversible oligospermia	Mild	3.6	7.88	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	1.1	0.7	\$35.95	\$24.49	0.3	0.6	\$24.32	\$49.84	\$0.00		
	164	Diseases & Disorders of the Male Reproductive System	Reproductive System	Male reproductive system disorder	Male reproductive system disorder which require limited intervention, e.g. erectile dysfunction, premature ejaculation	Moderate	32.2	81.41	0.9900	0.0071	DW "symptomatic chlamydia or gonorrhoea, duration 1 week"	0.0459	0.0326	2.7	1.0	\$91.06	\$33.37	0.5	1.0	\$42.57	\$76.47	\$0.00		
	165	Diseases & Disorders of the Male Reproductive System	Reproductive System	Male reproductive system disorder	Male reproductive system disorder which require significant medical intervention, e.g. priapism	Severe	10.6	9.39	0.9900	0.0071	DW "symptomatic chlamydia or gonorrhoea, duration 1 week"	0.0152	0.0108	3.3	1.8	\$110.24	\$60.92	2.7	1.5	\$147.11	\$98.50	\$0.00		
R01	166	Diseases & Disorders of the Respiratory System	Respiratory	Asthma	Mild asthma which does not require additional intervention	Mild	6.8	6.91	0.7792	0.1968	Derived using EQ-5D	0.0041	0.0037	1.6	1.0	\$55.12	\$33.83	0.0	0.0	\$0.00	\$0.00	\$0.00		
	167	Diseases & Disorders of the Respiratory System	Respiratory	Asthma	Moderate asthma requiring medical attention and/or modification of medications	Moderate	14.1	11.97	0.5968	0.0681	Derived using EQ-5D	0.0155	0.0026	3.4	1.5	\$112.63	\$51.99	0.5	0.9	\$36.48	\$69.33	\$18.95		

	168	Diseases & Disorders of the Respiratory System	Respiratory	Asthma	Severe asthma requiring high level care in a hospital setting	Severe	37.1	46.03	-0.3575	0.2599	Derived using EQ-5D	0.1381	0.0264	5.2	2.9	\$174.94	\$97.75	3.4	2.5	\$172.63	\$137.35	\$113.70	3.5	\$3,194.67
R02	169	Diseases & Disorders of the Respiratory System	Respiratory	Chronic Airways Disease	Mild chronic airways disease which does not require medical intervention	Mild	8.9	10.17	0.8300	0.3150	DW "mild to moderate" COPD	0.0041	0.0077	3.0	2.2	\$101.85	\$72.22	0.1	0.3	\$6.08	\$21.92	\$18.95		
	170	Diseases & Disorders of the Respiratory System	Respiratory	Chronic Airways Disease	Chronic airways disease requiring medical intervention and/or modification of medication	Moderate	19.1	22.04	0.8300	0.3150	DW "mild to moderate" COPD	0.0089	0.0165	5.0	3.5	\$166.46	\$116.72	1.3	1.5	\$92.79	\$98.56	\$79.70		
	171	Diseases & Disorders of the Respiratory System	Respiratory	Chronic Airways Disease	Severe chronic airways disease requiring hospitalisation and medical intervention	Severe	103.4	143.00	0.4700	0.3930	DW "severe" COPD	0.1501	0.1113	7.2	6.1	\$240.01	\$203.08	4.8	3.0	\$230.76	\$159.36	\$113.70	6.2	\$4,969.64
R03	172	Diseases & Disorders of the Respiratory System	Respiratory	Cough	Mild cough that resolves without medical intervention	Mild	6.6	11.01	1.0000	0.0000	Derived using EQ-5D	0.0000	0.0000	0.7	0.6	\$23.96	\$20.51	0.0	0.0	\$0.00	\$0.00	\$0.00		
	173	Diseases & Disorders of the Respiratory System	Respiratory	Cough	Cough requiring a change in medication or medication management for resolution	Moderate	9.4	10.26	0.8220	0.0000	ABDI 2000 weight for "pertussis epidose"	0.0046	0.0000	2.2	0.9	\$74.29	\$29.95	0.2	0.4	\$12.16	\$29.69	\$0.00		
	174	Diseases & Disorders of the Respiratory System	Respiratory	Cough	Severe cough resulting in significant consequences (e.g. haemoptysis) and hosoiatisation	Severe	21.1	17.34	0.8220	0.0000	ABDI 2000 weight for "pertussis epidose"	0.0103	0.0000	4.0	2.3	\$134.20	\$75.59	2.6	1.2	\$144.27	\$85.03	\$77.95	2.0	\$2,069.61
R04	175	Diseases & Disorders of the Respiratory System	Respiratory	Respiratory depression	Mild respiratory depression which will resolve without medical intervention	Mild	3.4	3.69	0.7248	0.1146	Derived using EQ-5D	0.0025	0.0011	1.2	0.9	\$40.74	\$29.95	0.2	0.4	\$12.16	\$29.69	\$0.00		
	176	Diseases & Disorders of the Respiratory System	Respiratory	Respiratory depression	Requiring medical intervention and/or modification of medications	Moderate	11.9	9.45	0.5167	0.1840	Derived using EQ-5D	0.0157	0.0060	3.6	1.7	\$119.82	\$55.39	0.8	1.0	\$60.81	\$79.56	\$18.95		
	177	Diseases & Disorders of the Respiratory System	Respiratory	Respiratory depression	Severe respiratory depression requiring hospitalisation and medical intervention	Severe	48.7	76.21	-0.2728	0.1215	Derived using EQ-5D	0.1699	0.0162	5.4	3.1	\$179.73	\$102.45	4.7	5.0	\$226.51	\$235.97	\$53.25	3.3	\$3,568.52
H01	178	Diseases & Disorders of the Skin, Subcutaneous Tissue & Breast	Skin	Skin conditions	Localised or mild skin symptoms which respond to "over the counter" treatment, e.g irritation, sensitivity or soreness	Mild	3.1	3.88	0.7652	0.1392	Derived using EQ-5D	0.0020	0.0012	0.6	0.6	\$19.17	\$21.68	0.0	0.0	\$0.00	\$0.00	\$0.00		
	179	Diseases & Disorders of the Skin, Subcutaneous Tissue & Breast	Skin	Skin conditions	Skin symptoms requiring medical attention and topical and/or oral svstemic treatment	Moderate	11.9	15.29	0.6958	0.1025	Derived using EQ-5D	0.0099	0.0034	2.5	1.3	\$83.88	\$43.15	0.8	1.2	\$60.81	\$88.39	\$17.80		
	180	Diseases & Disorders of the Skin, Subcutaneous Tissue & Breast	Skin	Skin conditions	Widespread skin symptoms with significant consequences requiring hospitalisation and intravenous systemic treatment	Severe	48.2	92.60	0.0160	0.3936	Derived using EQ-5D	0.1300	0.0520	4.1	2.2	\$136.60	\$73.82	3.6	2.3	\$181.14	\$131.10	\$66.05	2.5	\$2,220.69